GRUNDE	ns X	Company name: Created by: Phone:	
		Date:	02/11/2022
Description			
Product name:	Submersible drop o	cable	
Product No.: 00ID4064 Product No:	00ID4064	may differ from actual pro	oduct
EAN number: Technical: Approvals on nameplate:	5708601058257 KTW		
Materials: Basic:	EPDM (EPR)		
Installation: t max amb: Diameter: Number of leads: Nominal size: Upper limit:	60 °C 12.5 / 15.5 mm 4 4G 2,5 90 °C		
Others: Net weight: Norwegian NRF no.:	0.28 kg 9041602		
	Description Product name: Image: Product No.: OUD4064 Product No:: EAN number: Technical: Approvals on nameplate: Materials: Basic: Installation: t max amb: Diameter: Number of leads: Nominal size: Upper limit: Others: Net weight:	Product name: Submersible drop of Note! Product picture Product No.: 00ID4064 Product No: 00ID4064 Product No: 00ID4064 EAN number: 5708601058257 Technical: Approvals on nameplate: Approvals on nameplate: KTW Materials: Basic: Basic: EPDM (EPR) Installation: 60 °C Diameter: 12.5 / 15.5 mm Number of leads: 4 Nominal size: 4G 2,5 Upper limit: 90 °C Others: 0.28 kg	Created by: Phone: Description Product name: Submersible drop cable Votel Product picture may differ from actual product No:: 001D4064 Provals on nameplate: KTW Materials: Basic: Basic: EPDM (EPR) Installation: trax amb: t max amb: 60 °C Diameter: 12.5 / 15.5 mm Number of leads: 4 Nominal size: 4G 2,5 Upper limit:



Company name: Created by: Phone:

		Date:	02/11/2022
Description	Value		
General information:			
Product name:	Submersible drop cable		
Product No:	00ID4064		
EAN number:	5708601058257		
Technical:			
Approvals on nameplate:	KTW		
Materials:			
Basic:	EPDM (EPR)		
Installation:		•	
t max amb:	60 °C		
Diameter:	12.5 / 15.5 mm		
Number of leads:	4		
Nominal size:	4G 2,5		
Upper limit:	90 °C		
Others:			
Net weight:	0.28 kg		
Norwegian NRF no.:	9041602		



Company name: Created by: Phone:

		Order Dat	a:		
Position	Your pos.	Product name	Amount	Product No	Total
		Submersible drop cable	1	00ID4064	Price o
					reques
				1	