

Receiver

From

Company  
Reference  
Address  
Phone  
Fax  
E-mail

**Item n° :** Customer pos. no.:

60151155

**Model :**

EVOPLUS B 60/250.40 SAN M

**Pump data**

Pressure rating : 1,6 MPa  
Min. fluid temperature : -10 °C  
Max. fluid temperature : 110 °C  
EEI : ≤ \*\*\*

**Minimum suction head :**

Temperature °C 90 100  
Minimum suction head : m 20 25

**Requested data**

Flow :  
Head :  
Fluid (%) :  
Fluid Temperature : 20 °C  
Density : 998,3 kg/m³  
Kinematic viscosity : 1,005 mm²/s  
Vapor pressure : 0,00 MPa



**Hydraulic data (duty point)**

Flow :  
Head :

**Materials**

Pump body Bronze  
Impeller Technopolymer  
Motor shaft Alumina  
Seal ring EPDM  
Motor casing Die cast aluminium  
Closing flange Stainless steel  
Thrust ring support EPDM

**Curve tolerance according to ISO 9906**



**Motor data**

Motor brand : DAB  
Power input P1 : 0,105 kW  
Rated voltage : 1~ 220-240 V 50 Hz  
Nominal current : 0,75 A  
Degree of protection : IP 44

**Dimensions in mm**

A	14	D2	110	L	250		
B	248	D3	150	L1	125		
B1	64	D4	84	L2	125		
B2	184	H	140				
D	43	H1	124				
D1	100	H2	204				

**Weight :** 9,3 kg

**Pump connection**

Suction side : DN 40 / PN 16  
Discharge side : DN 40 / PN 16



WATER • TECHNOLOGY

# PERFORMANCE CURVES

2023-03-17

Page 2 / 3

DAB PUMPS S.p.A.  
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy  
Tel. +39 049 5125000 - Fax +39 049 5125950  
www.dabpumps.com


Receiver

From

Company  
Reference  
Address  
Phone  
Fax  
E-mail

## EVOPLUS B 60/250.40 SAN M

Curve tolerance according to ISO 9906



Suction side :  
DN 40  
PN 16

Discharge side :  
DN 40  
PN 16

Flow :

Head :

Rated speed :  
2.900 1/min

MAIN\_PROJECT\_TITLE

BUSINESS\_PROCESS\_ID

OWNER\_

ISSUE\_DATE  
2023-03-17



# DIMENSIONAL DRAWING

2023-03-17

Page 3 / 3


DAB PUMPS S.p.A.  
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy  
Tel. +39 049 5125000 - Fax +39 049 5125950  
www.dabpumps.com

Receiver

From

Company  
Reference  
Address  
Phone  
Fax  
E-mail

## EVOPLUS B 60/250.40 SAN M



Dimensions in mm					Pump connection	
1	A	14	H2	204	Suction DN 40 PN 16	
2	B	248	L	250		
3	B1	64	L1	125		
4	B2	184	L2	125		
5	D	43			Discharge DN 40 PN 16	
6	D1	100				
7	D2	110				
8	D3	150				
9	D4	84				
10	H	140				
11	H1	124				

MAIN_PROJECT_TITLE	BUSINESS_PROCESS_ID	OWNER	ISSUE_DATE 2023-03-17
--------------------	---------------------	-------	--------------------------