

SUBMERSIBLE PUMPS MODEL NO: PSV3A, PSV4A, PSSV2A & PVP11A

PART NO: 7236042, 7236044, 7236050 & 7236060

OPERATION & MAINTENANCE INSTRUCTIONS



ORIGINAL INSTRUCTIONS

GC0720 - ISS 7

INTRODUCTION

Thank you for purchasing this CLARKE Submersible Pump.

This pump is designed for pumping clean/dirty water only. it is not designed for pumping slurry, sludge, mud or heavily polluted water, or any water containing chemicals or other acidic contaminants including salt water.

GUARANTEE

This product is guaranteed against faulty manufacture for a period of 12 months from the date of purchase. Please keep your receipt which will be required as proof of purchase.

This guarantee is invalid if the product is found to have been abused or tampered with in any way, or not used for the purpose for which it was intended.

Faulty goods should be returned to their place of purchase, no product can be returned to us without prior permission.

This guarantee does not effect your statutory rights.

ENVIRONMENTAL RECYCLING POLICY



Through purchase of this product, the customer is taking on the obligation to deal with the WEEE in accordance with the WEEE regulations in relation to the treatment, recycling & recovery and environmentally sound disposal of the WEEE.

In effect, this means that this product must not be disposed of with general household waste. It must be disposed of according to the laws governing Waste Electrical and Electronic Equipment (WEEE) at a recognised disposal facility.

SAFETY PRECAUTIONS

WORK AREA

- 1. Keep the work area clean and well lit. Floors should always be kept clear. Cluttered or dark areas invite accidents.
- 2. Keep children and bystanders away while operating the pump. Distractions can cause loss of control.
- 3. Remember, the operator or user is responsible for accidents or hazards occurring to other people or their property.

PERSONAL SAFETY

- 1. Always stay alert, watch what you are doing and use common sense when operating this pump. Do not install the pump while you are tired or under the influence of medication, drugs or alcohol. A moment of inattention can result in personal injury.
- 2. Do not over-reach. Keep your proper footing and balance at all times when positioning the pump.
- 3. Never direct the water discharge towards electrical wiring or equipment.
- 4. Always store the pump out of reach of children and do not allow persons unfamiliar with these instructions to operate it.
- 5. Never direct the discharge flow towards another person.
- 6. Always thoroughly familiarise yourself with this pump & its operation and follow all instructions in this manual.
- 7. Always ensure that the pump is properly positioned where necessary to prevent it from moving during operation, and that the immediate area surrounding the pump is kept clear.

GENERAL USE AND CARE OF THE PUMP

- 1. An approved Residual Current Device (RCD) must be used when pumping from ponds or swimming pools.
- 2. Always lift the pump using the handle and use a rope or chain attached if necessary to lower it into the pit or excavation. Never lift or carry the pump by the power cable or by the float switch cable.
- 3. Never use this pump if any part is damaged. Have it inspected and repaired by your local Clarke dealer.
- 4. Always use an extension cable suitable for outdoor use when operating outdoors. Using the correct cable reduces the risk of electric shock.

- 5. Always maintain the pump with care and keep it clean.
- 6. Always use an approved cable extension suitable for the power rating of the pump (see specifications). The conductor size should also be at least the same size as that on the pump, or larger. When using a cable reel, always unwind the cable completely.
- 7. Never use for pumping flammable liquids or corrosive chemicals. These pumps are designed to pump water only.
- 8. Never abuse the electrical cable. Never use the cable for pulling or unplugging the pump Damaged or tangled cables increase the risk of electric shock.
- 9. Never run the pump dry. Always ensure the pump is immersed in water before starting. Switch the pump OFF immediately the task is completed
- 10. Never pump water from a swimming pool when there is a person or animal still in the pool.
- 11. Never install the pump on sand, silt or mud which is likely to shift or collapse.
- 12. Never modify this pump in any way. Use it only for the purpose for which it is designed.

SERVICING & REPAIRS

- 1. Always have the pump serviced by your local CLARKE dealer, using only identical replacement parts. This will ensure the safety of the pump is maintained. The use of non standard parts could be hazardous.
- 2. Never attempt any repairs yourself. If you have a problem with the pump contact your local CLARKE dealer.
- Always disconnect the pump from the electrical supply before placing it into, or removing from the water, and before any cleaning or maintenance.
- 4. If the power cable becomes damaged, it must be replaced rather than repaired.

Your CLARKE water pump has been designed to give long and trouble free service. If, however, having followed the instructions in this booklet carefully, you encounter problems, take the unit to your local CLARKE dealer.

Please keep these instructions in a safe place for future reference.

ELECTRICAL CONNECTIONS



WARNING! READ THESE ELECTRICAL SAFETY INSTRUCTIONS THOROUGHLY BEFORE CONNECTING THE PRODUCT TO THE MAINS SUPPLY.

Before switching the product on, make sure that the voltage of your electricity supply is the same as that indicated on the rating plate. This product is designed to operate on 230VAC 50Hz. Connecting it to any other power source may cause damage.

This product may be fitted with a non-rewireable plug. If it is necessary to change the fuse in the plug, the fuse cover must be refitted. If the fuse cover becomes lost or damaged, the plug must not be used until a suitable replacement is obtained.


If the plug has to be changed because it is not suitable for your socket, or due to damage, it should be cut off and a replacement fitted, following the wiring instructions shown below. The old plug must be disposed of safely, as insertion into a mains socket could cause an electrical hazard.




WARNING! THE WIRES IN THE POWER CABLE OF THIS PRODUCT ARE COLOURED IN ACCORDANCE WITH THE FOLLOWING CODE: BLUE = NEUTRAL BROWN = LIVE YELLOW AND GREEN = EARTH

If the colours of the wires in the power cable of this product do not correspond with the markings on the terminals of your plug, proceed as follows.

- The wire which is coloured Blue must be connected to the terminal which is marked N or coloured Black.
- The wire which is coloured **Brown** must be connected to the terminal which is marked **L** or coloured **Red**.
- The wire which is coloured **Yellow and Green** must be connected to the terminal which is marked **E** or **P** or coloured **Green**.





SUITABILITY

The CLARKE range of submersible pumps are suitable for discharging pools, ponds, fountains, pits and any waste water drainage. They can handle foul water containing suspended material as listed in the specification. The pumps are not suitable for handling inflammable, corrosive, explosive or dangerous liquids.

THE FLOAT SWITCH

The float switch enables the pump to stop and restart automatically as the surrounding water level changes. As the water level rises, the switch will float and start the pump. As the water level falls, so will the float switch, until it stops the pump. Float switches are factory set to provide the correct ON-OFF switching mode. This makes them suitable for permanent or semi-permanent installations, eg. installations where it is necessary to maintain water at a particular level without an operator in attendance.

THE THERMAL CUT-OUT

The pump is provided with a thermal overload cut-out, so that in the event that the pump becomes overheated (due to becoming blocked etc) it will shut off automatically. When the blockage has been cleared, the thermal cutout will cool down and re-set and the pump can be re-started.

CONNECTION AND POSITIONING

- Screw the outlet elbow and stepped adaptor supplied, onto the outlet of the pump as shown.
- 2. Connect the outlet adaptor to the largest diameter hose available, as any restriction will reduce capacity and put unnecessary strain on the motor.
 - The stepped adaptor fitting allows for connection of 32 mm (1¼"), or 25 mm (1") hoses which should be secured with a hose clamp.
- Ensure that the hose diameter is as large as possible if a long run of discharge hose is being used.




• Suitable hoses are available from your local Clarke dealer.

POSITIONING THE PUMP

- 1. ALWAYS raise and lower the pump using a rope attached to the lifting handle.
- 2. Place the pump in a vertical position resting on a firm, flat surface in the area that you want to drain. If there is sediment in the operating area, the pump should be placed vertically on house bricks, or similar but ensure they are not likely to collapse. Never position the pump on sand, silt, mud or ground which is likely to collapse.
- 3. Keep the pump clear of sediment by standing it on a platform or brick or suspending from a rope attached to the handle if the pump is to be used where there may be silt or mud etc (e.g. garden ponds).
- Ensure the pump is positioned with adequate space so that the movement of the float switch is not restricted - recommended minimum area of 50 x 50cm.
- 5. Allowance must also be made for the overall width of the pump including the outlet elbow on one side.

- Ensure the float switch has sufficient room to operate correctly if used in a confined space such as a shaft or sump.
 - The pump should only be placed in a sump which is large enough not to restrict the movement of the float switch.
 - When the pump is being used in a permanent or semipermanent installation, a nonreturn valve should be fitted in the delivery hose. Suitable hoses and valves are available from your Clarke dealer.



USING THE PUMP

WARNING: CHECK THE PUMP FOR DAMAGE BEFORE USE, DO NOT USE THE PUMP IF IT IS DAMAGED IN ANY WAY.

WARNING: THE WATER BEING PUMPED WILL BE POLLUTED IF THIS PUMP BECOMES DAMAGED AND LUBRICANT WITHIN THE PUMP ESCAPES.

- 1. Plug in the pump and switch on the power supply.
 - Always use a high sensitivity residual current device (RCD) which has a tripping current of less then 30mA.
 - The pump will only run where there is sufficient water for the float switch to rise and activate the pump.
- 2. If required, the range of operation of the float switch can be manually adjusted by positioning the float switch cable within the retaining clip at the top of the pump. The switch will operate through its full range if left hanging free.
- 3. Run the pump continuously or remove from the water and store in a frost free location if the water is likely to freeze.
- 4. Never run the pump dry. Ensure the pump switches off when water has stopped flowing.
 - The pump should be able to clear water down to a residual depth of approx 35mm, provided the float switch has been raised to keep the pump running. In this situation, air and residual water may be seen escaping from the vent valve.

5. Disconnect from the power supply when the water has been pumped out. Avoid running the pump continuously if the discharge hose has become obstructed and water is not flowing.

AUTOMATIC THERMAL OVERLOAD

These pumps are fitted with automatic thermal overload protection. If the pump overheats due to an obstruction in the pump, or pumping warm water for example, it will shut off automatically.

Switch the pump OFF at the mains supply. Check for blockages and allow the motor to cool (at least 5 minutes) before attempting to restart, by which time the cut-out will have reset.

CLEANING, MAINTENANCE & STORAGE



WARNING: MAKE SURE THAT THE PUMP IS DISCONNECTED FROM THE POWER SUPPLY BEFORE CLEANING OR PERFORMING MAINTENANCE

The pump should require no maintenance other than regular inspection and cleaning.

- 1. Inspect the pump prior to use and do not use the pump if there is any damage to the mains power cable or to the float switch or its connecting cable.
- 2. Check pump regularly to ensure the inlet is clear of leaves or other debris. It can be cleaned out either by back-flushing or by removing the base plate (after undoing the retaining screws) and cleaning out by hand.
- 3. If the pump has been used for pumping swimming pool water or salty water likely to leave chemical residues, it should be flushed through with clean water before storage.
- 4. When the pump is not being used for extended periods, clean and dry it thoroughly and store in indoors. if the pump is left in water, it should be run at least once a week to prevent it from seizing up.

If the pump shows signs of wear or damage, contact your CLARKE dealer for advice. Do not attempt to repair the pump yourself, as you may damage the waterproof seals and invalidate your guarantee. Repairs should be carried out by your local CLARKE dealer, or contact the CLARKE Service Department on 020 8988 7400.

ACCESSORIES

A wide range of accessories is available from your nearest CLARKE dealer, including hoses and hose adaptors.

TROUBLESHOOTING

| PROBLEM | SOLUTION |
|---|---|
| Pump hums | 1. Impeller partially clogged. Raise pump and clean. |
| but does not run | • If pump is clear, motor could be defective. |
| Pump runs but does not | Check or non-return valve is installed backwards. Arrow on valve should point in direction of flow. |
| deliver water or only delvers a small | Discharge shut-off valve if used, may be closed. Check that the outlet is not clogged or obstructed. |
| amount | 3. Impeller partially clogged. Raise pump and clean. |
| | Air bubble in the pump, produced during immersion. immerse the pump again, at an angle, and shake it whilst lowering to remove any air trapped in the system. |
| | 5. Inlet at base of pump is blocked. Raise pump and clear openings. |
| | Vertical pumping distance too high. Reduce height or change the pump discharge fitting. |
| | 7. Impeller may be damaged - Consult your CLARKE dealer. |
| Pump will not start | Make sure that the power is switched on. Check fuse (consult an electrician if in doubt). If an extension lead is fitted, check connections (consult an electrician if in doubt). Internal thermal cut-out has not re-set. Leave for 5-10 minutes and try again. The impeller may be jammed. Disconnect from the mains supply and remove any objects that may be obstructing the impeller. Float switch may be jammed against side wall, or prevented from moving. If the pump still fails to start, consult your CLARKE dealer for advice. |

| PROBLEM | SOLUTION |
|--------------------------------|---|
| Pump runs but will not stop | Float switch may be prevented from moving to the fully down position. |
| | 2. Faulty float switch. Consult your CLARKE dealer. |
| Fuse blows or | 1. Motor may be defective. |
| circuit breaker trips when | 2. Fuse size is wrong or circuit breaker may be too small |
| pump starts | 3. Pump clogged. Raise pump and clean impeller |
| Pump stops running | Thermal overload has operated. Leave for 5-10 minutes and try again. |
| | 2. Pump has run dry, or float switch has cut in. |
| | 3. A foreign object has jammed the impeller. |


SPECIFICATIONS

| Feature | PSV3A | PSV4A | PSSV2A | PVP11A |
|------------------------------------|-----------|-----------|-----------|-----------|
| Outlet Tread Dia | 11⁄2" BSP | 11⁄2" BSP | 11⁄2" BSP | 11⁄2" BSP |
| Outlet Size | 38mm | 38mm | 38mm | 38mm |
| Voltage | 230 Vac | 230 Vac | 230 Vac | 230 Vac |
| Motor Wattage at Max flow- rate | 400 W | 750 W | 900 W | 1100 W |
| Fuse Rating | 13 amp | 13 amp | 13 amp | 13 amp |
| Cable Length | 10 m | 10 m | 10 m | 10 m |
| IP Rating | IPX8 | IPX8 | IPX8 | IPX8 |
| Maximum Head Height | 8 M | 8 M | 8 M | 11 M |
| Maximum Depth | 5 m | 5 m | 5 m | 5 m |
| Maximum Flow | 133 l/min | 216 l/min | 208 l/min | 258 I/min |
| Maximum Water Temperature | 35°C | 35°C | 35°C | 35°C |
| Maximum Particle Size | 35 mm | 35 mm | 35 mm | 35 mm |
| Weight | 4.15 kg | 5.15 kg | 6.25 kg | 6.95 kg |

PARTS LIST PSV3A & PSV4A

| No | Description | No | Description |
|----|----------------------------|----|-----------------------|
| 1 | Power Cable | 20 | Motor Front Cover |
| 2 | Float Switch | 21 | Washer |
| 3 | 3-point Self Tapping Screw | 22 | Cable Sheath |
| 4 | Top Housing | 23 | O-Ring |
| 5 | Cable Entry Sheath | 24 | Adjusting Shim Washer |
| 6 | Cable Entry Gland | 25 | Impeller |
| 7 | Capacitor 8uF | 26 | Nut |
| 8 | Cable Gland | 27 | Main Pump Housing |
| 9 | Cable Holder | 28 | Steel Ball |
| 10 | Screw | 29 | Washer |
| 11 | Rear Motor Cover | 30 | Screw |
| 12 | Wave Washer | 31 | O-ring |
| 13 | Bearing | 32 | Pump Base |
| 14 | Motor Rotor | 33 | Screw |
| 15 | Grommet | 34 | Outlet Elbow |
| 16 | Stator | 35 | O-Ring |
| 17 | Frame Seal | 36 | Reducing Adaptor |
| 18 | Front Bush Assembly | 37 | Base Plate |
| 19 | O-ring Seal | 38 | Self-tapping Screw |

Part number = NJP-PSV3A-01 etc.




Parts & Service: 020 8988 7400 / E-mail: Parts@clarkeinternational.com or Service@clarkeinternational.com

PARTS LIST PSSV2A

| No | Description | No | Description |
|----|--------------------|----|--------------------|
| 1 | Power Cable | 25 | O-Ring |
| 2 | Float Switch | 26 | Motor Front Cover |
| 3 | Dome headed Bolt | 27 | Shim Washer |
| 4 | Handle | 28 | Impeller |
| 5 | Nut | 29 | Nut |
| 6 | Bolt | 30 | O-ring |
| 7 | Main Pump Body | 31 | Compression Ring |
| 8 | O-ring | 32 | Bolt |
| 9 | Pump Rear Housing | 33 | Ground Bracket |
| 10 | Cable Entry Sheath | 34 | Locating Ring |
| 11 | Cable Sheath | 35 | Sealing Washer |
| 12 | Cable Gland | 36 | Base Cover Ring |
| 13 | Capacitor 8uF | 37 | Pump Base |
| 14 | Cable Block | 38 | Base Plate |
| 15 | Bolt | 39 | Self-tapping Screw |
| 16 | Rear Motor Cover | 40 | Outlet Elbow |
| 17 | Wave Washer | 41 | O-ring |
| 18 | Bearing | 42 | Reducing Adaptor |
| 19 | Motor Rotor | 43 | Mechanical Seal |
| 20 | Motor Stator | 44 | Protective Ring |
| 21 | Bush | 45 | Air Vent |
| 22 | Washer | 46 | Steel Ball |
| 23 | Frame Seal | 47 | O-Ring |
| 24 | Aluminium Bush | 48 | Air Vent Nut |

Part number = NJP-PSSV2A-01 etc.




Parts & Service: 020 8988 7400 / E-mail: Parts@clarkeinternational.com or Service@clarkeinternational.com

PARTS LIST PVP11A


| No | Description | No | Description |
|----|----------------------------|----|-----------------------|
| 1 | Power Cable | 24 | Air Vent |
| 2 | Float Switch | 25 | Motor Stator |
| 3 | 3-point Self Tapping Screw | 26 | Frame Seal |
| 4 | Handle | 27 | Front Motor Bush |
| 5 | Nut | 28 | O-Ring |
| 6 | S/t Screw | 29 | Front Motor Cover |
| 7 | Main Pump Body | 30 | Mechanical Seal |
| 8 | O-Ring | 31 | Adjusting Shim Washer |
| 9 | Pump Rear Housing | 32 | Shim Washer |
| 10 | Cable Entry Sheath | 33 | Impeller |
| 11 | Cable Gland | 34 | Nut |
| 12 | Capacitor 8uF | 35 | O-Ring |
| 13 | Cable Block | 36 | Compression Ring |
| 14 | Screw | 37 | Screw |
| 15 | Rear Motor Cover | 38 | Grounding Bracket |
| 16 | Cable Gland | 39 | Securing Ring |
| 17 | Wave Washer | 40 | Sealing Washer |
| 18 | Bearing | 41 | Pump Base |
| 19 | Motor Rotor | 42 | Outlet Elbow |
| 20 | Cable Sheath | 43 | O-Ring |
| 21 | Air Vent Nut | 44 | Reducing Adaptor |
| 22 | Steel Ball | 45 | Cable Gland |
| 23 | O-Ring | 46 | Cable Clamp |


Part number = NJP-PVP11A-01 etc.

PARTS DIAGRAM-PVP11A



PUMP PERFORMANCE GRAPHS





DECLARATION OF CONFORMITY PSV3A



DECLARATION OF CONFORMITY PSV4A

| (f | |
|----------------------|--|
| | Clarke |
| | |
| | INTERNATIONAL |
| | Hemnall Street, Epping, Essex CM16 4LG |
| | DECLARATION OF CONFORMITY |
| τ | his is an important document and should be retained. |
| We hereby declare th | hat this product(s) complies with the following directive(s): |
| 2014/30/EU | Electromagnetic Compatibility Directive. |
| 2014/35/EU | Low Voltage Equipment Directive. |
| 2011/65/EU | Restriction of Hazardous Substances (Amended by (EU) 2015/863). |
| The following standa | ards have been applied to the product(s): |
| | 12+A11+A13, EN 60335-2-41:2003+A1+A2, EN 62233:2008, EN 55014-1:2017, |
| EN 55014-2:20 | 15, EN 61000-3-2:2014, EN 61000-3-3:2013. |
| The technical de | ocumentation required to demonstrate that the product(s) meet(s) the requirement(s) of |
| | the aforementioned directive(s) has been compiled and is available for inspection by the relevant enforcement authorities. |
| | The CE mark was first applied in: 2008 |
| Product Description: | : Submersible Pump |
| Model number(s): | PSV4A |
| Serial / batch Numbe | er: n/a |
| Date of Issue: | 02/06/2020 |
| | |
| Signed: | Janalarde |
| | J.A. Clarke |
| | Director |
| | |
| | |
| | |
| | |
| | No20-0005 Page 1 of 1 |

DECLARATION OF CONFORMITY PSSV2A

| CE | Clarke |
|-------------------------|--|
| | INTERNATIONAL |
| | Hemnall Street, Epping, Essex CM16 4LG |
| | DECLARATION OF CONFORMITY |
| Tł | his is an important document and should be retained. |
| We hereby declare the | at this product(s) complies with the following directive(s): |
| 2014/30/EU | Electromagnetic Compatibility Directive. |
| 2014/35/EU | Low Voltage Equipment Directive. |
| 2011/65/EU | Restriction of Hazardous Substances (Amended by (EU) 2015/863). |
| The following standa | rds have been applied to the product(s): |
| EN 60335-1:201 | 12+A11+A13, EN 60335-2-41:2003+A1+A2, EN 62233:2008, EN 55014-1:2017, |
| EN 55014-2:201 | 5, EN 61000-3-2:2014, EN 61000-3-3:2013. |
| t | ocumentation required to demonstrate that the product(s) meet(s) the requirement(s) the aforementioned directive(s) has been compiled and is available for inspection by the relevant enforcement authorities. The CE mark was first applied in: 2008 |
| | The GE mark was linst applied in. 2000 |
| Product Description: | Submersible Pump |
| Model number(s): | PSSV2A |
| Serial / batch Number | r: n/a |
| Date of Issue: | 02/06/2020 |
| | |
| Signed: | Jandande |
| | J.A. Clarke |
| | Director |
| | |
| | |
| Sub pump PSSV2A (rv2) N | No20-0007 Page 1 of 1 |

| DECLARATION | OF CONFOR | MITY PVP11A |
|-------------|-----------|-------------|
| | | |

| CE | | D |
|-----------------------------|---|--------------------------|
| | Liarke | |
| | | |
| | INTERNATIONAL | |
| | Hemnall Street, Epping, Essex CM16 4LG | |
| | DECLARATION OF CONFORM | ITY |
| This is | an important document and should | be retained. |
| We hereby declare that this | product(s) complies with the following dire | ctive(s): |
| 2014/30/EU Ele | ctromagnetic Compatibility Directive. | |
| 2014/35/EU Low | Voltage Equipment Directive. | |
| 2011/65/EU Res | triction of Hazardous Substances (Amended by | (EU) 2015/863). |
| The following standards ha | we been applied to the product(s): | |
| EN 60335-1:2012+A1 | 1+A13, EN 60335-2-41:2003+A1+A2, EN 6223 | 3:2008, EN 55014-1:2017, |
| EN 55014-2:2015, EN | 61000-3-2:2014, EN 61000-3-3:2013. | |
| the afe | ntation required to demonstrate that the produc orementioned directive(s) has been compiled ar evant enforcement authorities. | |
| | The CE mark was first applied in: 2008 | |
| Product Description: | Submersible Pump | |
| Model number(s): | PVP11A | |
| Serial / batch Number: | n/a | |
| Date of Issue: | 02/06/2020 | |
| | | |
| Signed: | g la Allavise | |
| | \bigvee | |
| | J.A. Clarke | |
| | Director | |
| | | |
| | | |
| | | |



Parts Enquiries Parts@clarkeinternational.com

Servicing & Technical Enquiries Service@clarkeinternational.com

SALES: UK 01992 565333 or Export 00 44 (0)1992 565335