
	GRUNDF	osX	Company name: Created by: Phone:						
			Date:	28/12/2022					
Qty.	Description								
1	PS.R.12.20. S.GC.304.65.A65.I	DP/SL							
	Note! Product picture may differ from actual product Product No.: 96235320 Grundfos Pumping Station for collection and transfer of drain water, surface water, effluent and sewage. Main applications:								
	Wastewater transport from: •	Single and multifami Industries Institutions Hotels Office buildings	ly houses						
	Features •	sensors. The extended botton Inlet, cable entry and Easy access to valve Lockable polyethyler	pes, valves and coupli n plate provides buoya l ventilation can be mo es.	ounted as required during installation.					




Company name: Created by: Phone:

Date:

Description	Value			
General information:				
Product name:	PS.R.12.20.S.GC.304.65.A65.DP /SL			
Product No:	96235320			
EAN number:	5700830538821			
Technical:				
Designed for number of pumps:	1			
Pump connection:	DN65			
Valve chamber:	Ν			
Number of closing valves:	1			
Number of non-return valves:	1			
Insulation:	NO			
Pipe design:	Goose neck common			
Extra con.:	Branch socket connection Plug			
Screen basket:	NO			
Baffle plate:	NO			
Safety grid:	NO			
Chain:	YES			
Chain cert.:	Chain certificate 320kg Certification			
Max pump load [kW]:	4 kW			
Materials:				
Pit Material:	PE (polyethylene)			
Cover material:	PE (polyethylene)			
Pipework mat.:	AISI 304			
Safety grid mat:	Safety grid material Not an option			
Chain:	Stainless steel			
Installation:				
Sump volume:	0.52 m³			
Pit diameter:	1200/1000 mm			
Inst. Type:	Submersible with autocoupling			
Pit Height:	2000 mm			
Cover design:	Flat cover			
Cover load:	No traffic			
Others:				
Designed for:	DP (2.6kW)/SL1.50.65/SLV.65.65			
Net weight:	193 kg			
Gross weight:	222 kg			







PS.R.12.20.

Your pos.

Position

Company name: Created by: Phone:

Date: 28/12/2022 **Order Data:** Total **Product name** Amount **Product No** 1 96235320 Price on request

	1								
	1								
	1								
	1								
	1								
	1								
	1								
	1								
	1								
	1								
	1								
	1								
	1								
	1								
	1								
	1								
	•		·						
Printed from Grundfos Product Centre [2022.54.006] 4/4									