
	GRUNDF	osX	Company n Created by: Phone:	
			Date:	28/12/2022
Qty.	Description			
1	PS.R.12.25. S.GC.304.65.A65	DP/SL		
	Product No.: 96235321	Note! Product pictur	e may differ from ac	tual product
		irface water, effluent and sewage.		
	Wastewater transport from:			
	•	Single and multifam Industries Institutions Hotels Office buildings	ily houses	
	Features			
		sensors. The extended botto	pipes, valves and m plate provides id ventilation can ves. ene cover.	coupling types for Grundfos pumps and level buoyancy prevention. be mounted as required during installation.




Company name: Created by: Phone:

Date:

Description	Value			
General information:				
Product name:	PS.R.12.25.S.GC.304.65.A65.DP /SL			
Product No:	96235321			
EAN number:	5700830538845			
Technical:				
Designed for number of pumps:	1			
Pump connection:	DN65			
Valve chamber:	Ν			
Number of closing valves:	1			
Number of non-return valves:	1			
Insulation:	NO			
Pipe design:	Goose neck common			
Extra con.:	Branch socket connection Plug			
Screen basket:	NO			
Baffle plate:	NO			
Safety grid:	NO			
Chain:	YES			
Chain cert.:	Chain certificate 320kg Certification			
Max pump load [kW]:	4 kW			
Materials:				
Pit Material:	PE (polyethylene)			
Cover material:	PE (polyethylene)			
Pipework mat.:	AISI 304			
Safety grid mat:	Safety grid material Not an option			
Chain:	Stainless steel			
Installation:				
Sump volume:	0.52 m³			
Pit diameter:	1200/1000 mm			
Inst. Type:	Submersible with autocoupling			
Pit Height:	2500 mm			
Cover design:	Flat cover			
Cover load:	No traffic			
Others:				
Designed for:	DP (2.6kW)/SL1.50.65/SLV.65.65			
Net weight:	231 kg			
Gross weight:	260 kg			







Your pos.

Position

Company name: Created by: Phone:

28/12/2022 Date: **Order Data: Product name Product No** Total Amount PS.R.12.25. 1 96235321 Price on request

					request
Printed from Cru	I ndfos Product Centr	I 29 [2022 54 006]	I	1	4/4