

Created by: Phone:

**Date:** 24/06/2022

## Qty. | Description

1 Sine-wave filter



Note! Product picture may differ from actual product

Product No.: 96754974

Sine wave filters have a high degree of filtering, resulting in a high reduction of the stress on the motor insulation system. At the same time, they reduce the acoustic noise from the motor.

Motor losses are reduced due to the fact that a sine-wave filter converts the output pulses of the frequency converter into at sine-wave-shaped. The result is a sine-wave-shaped current and reduced motor noise.

Maximum cable length with sine-wave filter is 300 m.


Output filters are used for reducing the voltage stress on the motor windings and the stress on the motor insulation system as well as for decreasing acoustic noise from a frequency-controlled motor.



Created by: Phone:

**Date:** 24/06/2022

Description	Value
General information:	
Product name:	Sine-wave filter
Product No:	96754974
EAN number:	5710626352555
Installation:	
Mounted on:	Wall
Electrical data:	
Mains frequency:	50 Hz
Rated voltage:	x 200-500 V
Rated current:	10 A
Rated current at 100 Hz:	7.5 A
Enclosure class (IEC 34-5):	IP20
Cable size:	4 mm2
Inductor loss:	95 W
Others:	
Net weight:	7.1 kg
Danish VVS No.:	382997010
Finnish LVI No.:	9414025
Country of origin:	GB
Custom tariff no.:	85371098






Created by: Phone:

**Date:** 24/06/2022

## 96754974 Sine-wave filter 50 Hz



Printed from Grundfos Product Centre [2022.27.008]



Created by: Phone:

**Date:** 24/06/2022

Order Data:

Product name: Sine-wave filter

Amount: 1

Product No: 96754974

Total: Price on request