



# ALPHA GO

One range.  
Ready for everything.

Designed for both standalone and integrated circulator pumps in domestic heating applications, the new ALPHA GO range delivers enhanced comfort and energy savings for residents. For installers, it simplifies commissioning, speeds up pump replacement, and takes the guesswork out of achieving an efficient system.

Read more  
[grundfos.to/alpha-go](https://grundfos.to/alpha-go)



**GRUNDFOS** 

Possibility in every drop



## Fast replacement with only two pumps in your van

The design of the new ALPHA GO range makes it possible for you to carry just two circulator pump variants and an FCI signal adapter in your van and you're ready to replace almost 70% of integrated Grundfos circulator pumps and majority of standalone circulator pumps — no waiting for spare parts, no overstocking, and no selection or sizing problems.

### Your ALPHA GO must haves



#### ALPHA1 GO 25-80 180

- Replaces most integrated UPS circulator pumps
- Ideal for straightforward, no-fuss replacements of older systems
- App-assisted setup via Grundfos GO ensures fast, accurate commissioning



#### ALPHA2 GO 25-75 180

- Replaces most integrated UPM3/UPM4 circulator pumps and majority of standalone circulator pumps
- The ideal choice for maximum energy savings and comfort
- Guided Setup for accurate commissioning, connects directly to the Grundfos GO app via Bluetooth



#### FCI Signal Adapter

- Required in approximately 30% of UPM3/4 replacements

### Accurate commissioning with Guided Setup

With the Guided Setup feature in the Grundfos GO app, you can commission ALPHA GO installations quickly and accurately, no matter if it's a replacement or a new install.

- Configure the right control mode and setpoint
- Optimise system performance
- Achieve greater comfort and energy efficiency for every home



Scan the QR code to download Grundfos GO

### Fewer pumps. More possibilities.

By combining the strengths of the old ALPHA1, ALPHA2, and ALPHA3 into just two future-ready models, the ALPHA GO range simplifies selection, streamlines van stock, and fully replaces all previous versions. All you need is just two pumps in your van.



## Built to perform across all domestic heating needs

The ALPHA GO range is designed to deliver highly efficient performance in domestic heating applications. With low energy consumption, near silent operation and robust temperature tolerance, each model is built for reliable operation, whether in everyday use or for more demanding environments.


Feature	ALPHA1 GO	ALPHA2 GO
Max flow*	3.9 m <sup>3</sup> /h	4.8 m <sup>3</sup> /h
Max head*	8 m	9 m
Max Power input*	60 W	90 W
Supply Voltage	1 × 220-240 V, 50/60 Hz	1 × 220-240 V, 50/60 Hz
Energy Efficiency Index (EEI)	≤ 0,20	≤ 0,16 to 0,20*
Acoustic sound pressure level (Lp)	< 25 dB(A)	< 25 dB(A)
Enclosure class	IP44	IP44 K-version: IPX4D
Pipe connection*	G1, G1 1/2, G2	G1, G1 1/2, G2
Port to port length*	130 mm, 180 mm	130 mm, 180 mm
Ambient temperature	55 °C      70 °C	55 °C      70 °C
Media temperature	-10* to 110 °C    -10* to 75 °C	-10 to 110 °C    -10 to 75 °C K-version: -20 to 110 °C    K-version: -20 to 75 °C

\*Depending on variant

Key features and benefits	ALPHA1 GO	ALPHA2 GO
Easy replacement of integrated UPM3/4 circulator pumps		•
Improved AUTOADAPT for radiators and underfloor heating		•
Guided Setup for accurate commissioning		•
Easy replacement of integrated UPS circulator pumps	•	
Easy replacement of stand-alone circulator pumps	•	•
Dry-run protection, robust startup, pump venting	•	•

### Scan. Set. GO.

The Grundfos GO app is a digital toolbox that helps you work more efficiently with the ALPHA GO range.



Whether you're replacing an old circulator pump or commissioning a new one, the app guides you every step of the way. With built-in tools like GO Replace and Guided Setup, you can find the right pump for replacement, apply the correct settings, and ensure optimal system performance in minutes .



Install the Grundfos GO app now.

